



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Sharp	Logo
Company name *	Sharp Electronics Europe Ltd	CIIADO
Contact information *	environment@sharp.eu	SHARP
e-mail address		
Internet site *	www.sharp.eu	
Additional information		

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	MFP				
Commercial name *	MX-B450P / MX-B450PE				
Model number *	MX-B450P / MX-B450PE				
Issue date *	6th,August,2018				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MX-B450P / MX-B450PE	Logo	
Issue date *	6th,August,2018		SHARP

Product	oduct environmental attributes - Legal requirements							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes						
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes						
	Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum							
	concentration values.							
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square	$\overline{\Box}$					
	terphenyl (PCT) in preparations (see legal reference).		ш					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	; X						
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes						
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		\Box					
	www.sharp.eu		ш	ш				
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		П					
	symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes						
D0.04	reference)		_	<u> </u>				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP) The product is CF marked to show conformance with applicable legal requirements (see legal reference)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):							
P3.2*	The product complies with the Eco design requirements for energy-related products,							
. 0.2	(see legal reference).							
	Required information is; given in item P15 or added to this document,			\boxtimes				
	available at (add URL):							
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see							
	legal reference and NOTE B1).							
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).							
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		\boxtimes					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to							
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). NOTE: The toner is not classified as hazardous.							
P5	(see regar reference). NOTE. The toner is not classified as nazardous. Product packaging							
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and							
	hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀						
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea	1 🔽	$\overline{}$					
1 J.J	Protocol (see legal reference).	ıl 🔀	Ш	Ш				
	Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MX-B450P / MX-B450PE	Logo			
Issue date *	6th,August,2018		SHARP		

	environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Requirer	nent r	net		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.					
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools		П			
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: PC+ABS Material type: PS-HI Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	l 💆				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	, <u> </u>				
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)		_			
	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: (FR40)					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
	<u>Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:</u> >FR(17)< or >FR(40)<					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш			
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0~1.0%. or b) The weight of recycled material is g. 	1				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

woder nun	libei	WX-6450	P / IVIX-D43UPE				Logo	~		
Issue date	*	6th,Augu	st,2018		SHAR			VIK		
Product 6	Product environmental attributes - Market requirements (continued) Requirement me							t met		
Item	311711 01111	ioniai att	market re	quiromonio (oo	Intiliuou,			Ye		n.a.
	Material and substance requirements (continued)									
P7.21*	Biobaseo	Siobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	total plastic by weight) is %.									
P7.22*	b) The weight of the biobased plastic material is g.									
1 7.22			specify: Number of lamp		ximum mercury c	ontent per lam	np: r	ng	<u> </u>	
P8	Batteries									
P8.1*	-		mposition: LiMnO2							
P9			ion (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consum	nptions are report	ed:				
Energy mo	de *		Power level at 100 V AC	Power level a 115 V AC	t Power le		ference/St odes and te	andard for est method *	energy	
Sleep mod STAR® Op	erational		W	W	W					
(OM) produ Standby/of		•	W	W	W					
ENERGY S Mode (OM)	STAR Ope	erational								
TEC value TEC produ	for ENER		kWh/week	kWh/week	2.4 kWh/we	eek <i>En</i>	ergy Star	(ver. 2.0)		
(TEC= Typ Consumpti		у								
Maximum consumpt			W	W	1840 W					
Operating	mode		W	W	720 W					
Ready mo	de		W	W	96 W					
Preheat m	ode		W	W	76 W					
Auto powe	er shut-of	f mode	W	W	1.6 W					
Plug-in of	f mode		W	W	0.1 W					
External Po	ower Supp	ly Efficiend	cy Level (International l	Efficiency Marking	Protocol) * :					
Print/Scan	Speed *	:	45 images per minute	.		Mo	nochrom	e		
			ve mode: 16 minutes							$\overline{}$
P9.2*			ne energy save function	n is provided with	the product.			<u> </u>	1 🗆	∺
P10		ns (See N	= -	•	<u> </u>				<u>ч</u>	
			Declared according to	ISO 9296						
P10.1	Mode	N	lode description		Declared			A-weighted		
					A-weighted sound power	sound	pressure	level $L_{p{\sf Am}}$ (dE	3)	
					level L_{WAd} (B)	Operator po	sition	Bystander p	ositions	
					WAG (S)		sktop			
						or Desi	side 🗌	(only if production operator at		
	Idle	*	Ready		* 3.1		1	2	.onacu)	$\vdash \sqcap$
	Operatio		Operation		* 7.1			i 4		1 H
	Other mo		-							┧ '''
	Measure	d accordin	g to: X ISO7779 I	ECMA-74		1				1
			· = -	only if not covered	d by ECMA-74 wi	th L _{pAm} measu	rement dis	stance m	ı)	
	The prod	luct meets	the acoustic noise requ						<u>1 </u>	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *	MX-B450P / MX-B450PE 6th,August,2018	Logo	SHARP			
Product environmental attributes - Market requirements (continued) Requirement n						
Itom			Vaa Na aa			

Product	environmental attribu	utes - Market requirements (co	ontinued)	-	Require	ment	met
Item	on vii on inontar attrib	atos markot roquiromonto (oc	Jimacaj		Yes	No	n.a.
	Chemical emissions f	rom printing products (See NOTE	B10)				
P10.2*		ng to ECMA-328 Determination of C		om Electronic	\square	П	П
		3360) , other specify: Blue Ange					ш
P10.3		operation phase) is (mg/h): <i>Monoch</i>					
	71	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					ш
	Electrophotographic de	vices: Ozone 0.2 Dust < LOD Sty					
			•	than limit of detection.)			
	Ink devices:	Dust	Styrene Benzene	TVOC			\bowtie
	Note: compliance with r	maximum emission rates in eco labe	els to be declared in P14.				
P11		s for printing products					
P11.1*	, ,	DS) is available for the ink/toner pre		1 ,			
P11.2*	Paper containing post- EN 12281.	consumer recycled fibers can be	used, provided that it mee	ets the requirements of			
P11.3*		g/copying is an integrated product fu	unction.		\square	П	
P11.4*	The product is delivered	d to end-user with default auto-duple	ex enabled.			Ħ	$\overline{\Box}$
P13	Packaging and docum	nentation					
P13.1*	Product packaging mat	erial type(s): Paper / Cardboard	weight (kg): 3.12				
		erial type(s): Plastic / EPS	weight (kg): 0.24				
	Product packaging mat		weight (kg):				
P13.2*		packaging is free from PVC.			\boxtimes		
P13.3*	For product primary co consumer recovered fib	orrugated fiberboard packaging, sp per content: 80 %	ecify the contained percen	tage of minimum post-			
	consumer recovered in	ber content. 80 %					
P13.4*	Specify media for user and product documentation (tick box):						
	Electronic X, Paper	•					
P13.5	(Please only complete	this item if paper documentation use	ed)		<u> </u>		
		mentation on paper media is chlorin	e-free:		\boxtimes		
	If Yes, please specify:						
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free	9					
P14	Voluntary programs:						
P14.1	The product meets the	requirements of the following volunt	ary program(s):				
	ENERGY STAR®	Criteria version: 2.0	Date*: 19 April 2018	Product category: Im	aging E	quipm	ent
	NOTE : Because the E	U ENERGY STAR program expired	l, Date* is filled as the test d	late.			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information	1 (See NOTE B11)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1