



【Confidential】

**1page Spec Sheet  
for  
24.1" (61.13cm) LCD MONITOR**

**MODEL NAME : MultiSync PA243W**

**Ver 1.0**

**Date : 2017, September. 20th**

Designed by : *H. Humai*  
T. Shibata

Checked by : *N. Sakuma*

Approved by : *G. Nishimura*

Monitor Engineering Department  
Product Development Division

NEC Display Solutions, Ltd.

07BL1LAT-N

|                                                             |                                                         |                                                                      |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|-------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------|------------------------------------------|------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------|-------------------------------------------------------------|----------------------------------|--|
| LCD Product Specifications                                  |                                                         |                                                                      | MultiSync PA243W                              |                                          |                              | Date : 2017/9/19                                        |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Model Variation                                             | Model Name                                              |                                                                      | Model Number                                  |                                          | White                        |                                                         | Product code                                                                          |                                                           | Black                        |                                                             | Product code                     |  |
|                                                             | North America :                                         |                                                                      | PA243W / PA243W-BK                            |                                          | M246BL(1L)-WH(A)NKC          |                                                         | 07BL1LAT                                                                              |                                                           | M246BL(2L)-BK(A)NKC          |                                                             | 07BL2LAT                         |  |
|                                                             | Europe :                                                |                                                                      | PA243W / PA243W-BK                            |                                          | M246BL(1L)-WH(B)NKC          |                                                         | 07BL1LBT                                                                              |                                                           | M246BL(2L)-BK(B)NKC          |                                                             | 07BL2LBT                         |  |
|                                                             | Japan :                                                 |                                                                      | LCD-PA243W-BK                                 |                                          | ---                          |                                                         | ---                                                                                   |                                                           | M246BL(2L)-BK(J)NKC          |                                                             | 07BL2LJT                         |  |
|                                                             | China :                                                 |                                                                      | PA243W-BK                                     |                                          | ---                          |                                                         | ---                                                                                   |                                                           | M246BL(2L)-BK(C)NKC          |                                                             | 07BL2LCT                         |  |
| World wide :                                                |                                                         | ---                                                                  |                                               | ---                                      |                              | ---                                                     |                                                                                       | ---                                                       |                              | ---                                                         |                                  |  |
| GTIN Code                                                   | UPC Brand :                                             |                                                                      | ---                                           |                                          | 805736066337                 |                                                         | ---                                                                                   |                                                           | 805736066079                 |                                                             | ---                              |  |
|                                                             | EAN Code :                                              |                                                                      | ---                                           |                                          | 5028995114975                |                                                         | ---                                                                                   |                                                           | 5028995114968                |                                                             | ---                              |  |
|                                                             | JAN Code :                                              |                                                                      | ---                                           |                                          | ---                          |                                                         | ---                                                                                   |                                                           | 4561279011243                |                                                             | ---                              |  |
|                                                             | 69 Code(China) :                                        |                                                                      | ---                                           |                                          | ---                          |                                                         | ---                                                                                   |                                                           | 6970124391817                |                                                             | ---                              |  |
| Manufacture place :                                         |                                                         | PCB                                                                  | COMPAL                                        | Vender name                              | Factory                      | China                                                   | Country                                                                               |                                                           | China                        |                                                             | Country                          |  |
| Set                                                         |                                                         | COMPAL                                                               | COMPAL                                        | Vender name                              | Factory                      | China                                                   | Country                                                                               |                                                           | China                        |                                                             | Country                          |  |
| Mass Production Date :                                      |                                                         | October 2017                                                         |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Launch Date :                                               |                                                         |                                                                      |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Optical Characteristic                                      | LCD Type :                                              |                                                                      | LM240WU9-SLC1                                 |                                          | IPS (ex. S-IPS, PVA, TN etc) |                                                         | Manufacturer :                                                                        |                                                           | LG Display                   |                                                             |                                  |  |
|                                                             | Active Display area :                                   |                                                                      | Horizontal : 518.400 mm (Typ.)                |                                          | 20.4                         |                                                         | In.                                                                                   |                                                           | Vertical : 324.000 mm (Typ.) |                                                             | 12.8                             |  |
|                                                             | Inch information for EEI label :                        |                                                                      | Horizontal : 520.40 mm (Typ.)                 |                                          | 20.5                         |                                                         | In.                                                                                   |                                                           | Vertical : 326.00 mm (Typ.)  |                                                             | 12.8                             |  |
|                                                             | cm information for EEI label :                          |                                                                      | 24.1                                          |                                          | In. (Diagonal)               |                                                         | 61.13                                                                                 |                                                           | cm (Diagonal)                |                                                             |                                  |  |
|                                                             | Inch information for spec list on Catalogue / Manual :  |                                                                      | 24.1                                          |                                          | In. (Diagonal)               |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | cm information for Manual :                             |                                                                      |                                               |                                          | 61.13                        |                                                         | cm (Diagonal)                                                                         |                                                           |                              |                                                             |                                  |  |
|                                                             | Inch information for other area on Catalogue / Manual : |                                                                      | 24                                            |                                          | In. (Diagonal)               |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Inch information for Carton box :                       |                                                                      | 24                                            |                                          | In. (Diagonal)               |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Brightness(Pannel spec) :                               |                                                                      | 280 cd/m <sup>2</sup> (Min.)                  |                                          | 350 cd/m <sup>2</sup> (Typ.) |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Brightness(Calibrated luminance) :                      |                                                                      | ---                                           |                                          | cd/m <sup>2</sup>            |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Brightness(Calibration capable range) :                 |                                                                      | ---                                           |                                          | cd/m <sup>2</sup>            |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Contrast Ratio :                                        |                                                                      | ---                                           |                                          | 1 (Min.)                     |                                                         | 1,000 1 (Typ.)                                                                        |                                                           | ---                          |                                                             | 1 (Max.)                         |  |
|                                                             | Contrast Ratio (Dynamic) :                              |                                                                      | ---                                           |                                          | 1 (Min.)                     |                                                         | 1 (Typ.)                                                                              |                                                           | ---                          |                                                             | 1 (Max.)                         |  |
|                                                             | Viewing Angle :                                         |                                                                      | Up: 178                                       |                                          | Down: 178                    |                                                         | Right: 178                                                                            |                                                           | Left: 178                    |                                                             | degree (CR>10)                   |  |
|                                                             | Display Colors :                                        |                                                                      | Color Depth: 10                               |                                          | bits                         |                                                         | (6 bits / 8 bits / 8 bits include pseudo 2 bits / 10bit / other ( ) bits)             |                                                           | 1073741824 colors            |                                                             |                                  |  |
|                                                             | Color Gamut :                                           |                                                                      | 107.3 % (Typ.) vs NTSC(are ratio)             |                                          | 97.0                         |                                                         | % (Typ.) vs NTSC(cover rate)                                                          |                                                           | 112.4                        |                                                             | % (Typ.) vs AdobeRGB(are ratio)  |  |
|                                                             | sRGB coverage :                                         |                                                                      | ---                                           |                                          | %                            |                                                         |                                                                                       |                                                           | 99.8                         |                                                             | % (Typ.) vs AdobeRGB(cover rate) |  |
|                                                             | Maximum Dot defect :                                    |                                                                      | ---                                           |                                          | Panel horizontal dot : 1920  |                                                         | Panel vertical dot : 1200                                                             |                                                           |                              |                                                             |                                  |  |
|                                                             | Dot defect rate :                                       |                                                                      | 0.00012                                       |                                          | %                            |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Pixel Pitch :                                           |                                                                      | 0.2700 (H) mm x                               |                                          | 0.2700 (V) mm                |                                                         | Pixels per Inch :                                                                     |                                                           | 94                           |                                                             | PPI                              |  |
|                                                             | Response Time :                                         |                                                                      | ---                                           |                                          | msec (typ) (White to black)  |                                                         | ---                                                                                   |                                                           | msec (typ) (Black to white)  |                                                             |                                  |  |
|                                                             | ---                                                     |                                                                      | ---                                           |                                          | msec (max) (White to black)  |                                                         | ---                                                                                   |                                                           | msec (max) (Black to white)  |                                                             |                                  |  |
|                                                             | 8,000                                                   |                                                                      | msec (typ) (Gray to Gray) Response improve ON |                                          | ---                          |                                                         | msec (typ) (Gray to Gray) Response improve OFF                                        |                                                           | ---                          |                                                             |                                  |  |
|                                                             | ---                                                     |                                                                      | msec (max) (Gray to Gray) Response improve ON |                                          | ---                          |                                                         | msec (max) (Gray to Gray) Response improve OFF                                        |                                                           | ---                          |                                                             |                                  |  |
|                                                             | Surface Treatment :                                     |                                                                      | Anti-glare                                    |                                          | Haze : 25                    |                                                         | % (Typical)                                                                           |                                                           |                              |                                                             |                                  |  |
|                                                             | Back Light / Power & Life :                             |                                                                      | 54 LEDs                                       |                                          | Edge                         |                                                         | Position (ex. Direct backlight / Both Side Edge light)                                |                                                           | 120 mA (Typ.)                |                                                             | 54 V (Typ.)                      |  |
|                                                             | Back Light control type :                               |                                                                      | PWM (ex. PWM, DC etc)                         |                                          | ---                          |                                                         | Hz(PWM frequency)                                                                     |                                                           |                              |                                                             | 30,000 Hour                      |  |
|                                                             | Recommended Use Distance :                              |                                                                      | 16 In.                                        |                                          | to 28 In.                    |                                                         | Optimal Distance : 20 In.                                                             |                                                           |                              |                                                             |                                  |  |
| User Control                                                |                                                         | 8 Buttons                                                            |                                               | INPUT/SELECT                             |                              | MENU/EXIT                                               |                                                                                       | LEFT                                                      |                              | RIGHT                                                       |                                  |  |
| RGB Signal                                                  | Number of Input                                         |                                                                      | 4                                             |                                          | Input1: D-sub                |                                                         | Input2: HDMI 1.4                                                                      |                                                           | Input3: DisplayPort 1.2      |                                                             | Input4: DVI-D                    |  |
|                                                             | Input Connections                                       |                                                                      | D-SUB                                         |                                          | Yes                          |                                                         | DVI-D                                                                                 |                                                           | Yes                          |                                                             | HDMI                             |  |
|                                                             | Number of Output                                        |                                                                      | No                                            |                                          | Output1: ---                 |                                                         | Output2: ---                                                                          |                                                           | Output3: ---                 |                                                             | Output4: ---                     |  |
|                                                             | Output Connections                                      |                                                                      | ---                                           |                                          | ---                          |                                                         | ---                                                                                   |                                                           | ---                          |                                                             | ---                              |  |
|                                                             | HDMI version :                                          |                                                                      | 1.4                                           |                                          | (1.4/2.0)                    |                                                         | Note: Please don't write the HDMI version on press release, catalog and web site etc. |                                                           |                              |                                                             |                                  |  |
|                                                             | DisplayPort version :                                   |                                                                      | 1.1a                                          |                                          | (1.1/1.1a/1.2)               |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Video Sync :                                            |                                                                      | Analog                                        |                                          |                              |                                                         | HDMI / DisplayPort/DVI-D                                                              |                                                           |                              |                                                             |                                  |  |
|                                                             | Yes                                                     |                                                                      | Separate sync: TTL Level (Positive/Negative)  |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Yes                                                     |                                                                      | Composite sync: TTL Level (Positive/Negative) |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Yes                                                     |                                                                      | Sync on Green: (0.3Vp-p negative)             |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
|                                                             | Sync Range Horizontal :                                 |                                                                      | 31.5 KHz to 31.5 KHz                          |                                          | and 118.4 KHz                |                                                         | 31.5 KHz to 31.5 KHz                                                                  |                                                           | and 118.4 KHz                |                                                             |                                  |  |
|                                                             | Vertical :                                              |                                                                      | 50.0 Hz to 50.0 Hz                            |                                          |                              |                                                         | 50.0 Hz to 50.0 Hz                                                                    |                                                           |                              |                                                             |                                  |  |
|                                                             | Video band width / Pixel Clock :                        |                                                                      | 25.2 MHz to 252.5 MHz                         |                                          |                              |                                                         | 25.2 MHz to 252.5 MHz                                                                 |                                                           |                              |                                                             |                                  |  |
|                                                             | Resolutions Supported :                                 |                                                                      | Yes                                           |                                          | 720 x 400 @ VESA             |                                                         | Yes                                                                                   |                                                           | 720 x 400 @ VESA             |                                                             |                                  |  |
|                                                             | Yes                                                     |                                                                      | 640 x 480 @ VESA                              |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 640 x 480 @ VESA             |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 640 x 480 @ MAC                               |                                          | 66 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 640 x 480 @ MAC              |                                                             | 66 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 800 x 600 @ VESA                              |                                          | 56 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 800 x 600 @ VESA             |                                                             | 56 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1024 x 768 @ VESA                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1024 x 768 @ VESA            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1152 x 870 @ MAC                              |                                          | 75 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1152 x 870 @ MAC             |                                                             | 75 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1280 x 768 @ VESA                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1280 x 768 @ VESA            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1280 x 960 @ VESA                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1280 x 960 @ VESA            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1280 x 1024 @ VESA                            |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1280 x 1024 @ VESA           |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1360 x 768 @ VESA                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1360 x 768 @ VESA            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1440 x 900 @ VESA                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1440 x 900 @ VESA            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1400 x 1050 @ VESA                            |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1400 x 1050 @ VESA           |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1680 x 1050 @ CVT                             |                                          | 60 Hz to 75 Hz               |                                                         | Yes                                                                                   |                                                           | 1680 x 1050 @ CVT            |                                                             | 60 Hz to 75 Hz                   |  |
|                                                             | Yes                                                     |                                                                      | 1600 x 1200 @ VESA                            |                                          | 60 Hz to 75 Hz               |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Yes                                                         |                                                         | 1200 x 1080 @ PnP                                                    |                                               | 60 Hz to 75 Hz                           |                              | Yes                                                     |                                                                                       | 1200 x 1080 @ PnP                                         |                              | 60 Hz to 75 Hz                                              |                                  |  |
| Yes                                                         |                                                         | 1920 x 1200 @ VESA                                                   |                                               | 60 Hz to 75 Hz                           |                              | Yes                                                     |                                                                                       | 1920 x 1200 @ VESA                                        |                              | 60 Hz to 75 Hz                                              |                                  |  |
| Yes                                                         |                                                         | 1200 x 1920 @                                                        |                                               | 60 Hz to 75 Hz                           |                              | Yes                                                     |                                                                                       | 1200 x 1920 @                                             |                              | 60 Hz to 75 Hz                                              |                                  |  |
| Recommended Resolution :                                    |                                                         | 1920 x 1200                                                          |                                               | 60.0 Hz                                  |                              | 1920 x 1200                                             |                                                                                       | 60.0 Hz                                                   |                              |                                                             |                                  |  |
| Maximum Resolution :                                        |                                                         | 1920 x 1200                                                          |                                               | 60.0 Hz                                  |                              | 1920 x 1200                                             |                                                                                       | 60.0 Hz                                                   |                              |                                                             |                                  |  |
| Expanding modes for lower resolutions :                     |                                                         | Yes(Selectable)                                                      |                                               | Full screen                              |                              | Yes(Selectable)                                         |                                                                                       | 1:1 (pixel correct)                                       |                              | Yes(Selectable)                                             |                                  |  |
| AUDIO Signal                                                |                                                         | Number of Input                                                      |                                               | 3                                        |                              | Input1: Analog                                          |                                                                                       | Input2: DisplayPort                                       |                              | Input3: HDMI                                                |                                  |  |
| Input Connections                                           |                                                         | Number of output                                                     |                                               | 1                                        |                              | Output1: Headphone                                      |                                                                                       | Output2: ---                                              |                              | Output3: HDMI                                               |                                  |  |
| Output Connections                                          |                                                         | ---                                                                  |                                               | ---                                      |                              | ---                                                     |                                                                                       | ---                                                       |                              | ---                                                         |                                  |  |
| Function                                                    |                                                         | Video Daisy Chain                                                    |                                               | No                                       |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Video Daisy Chain Terminal                                  |                                                         | ---                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Max. number of connectable monitor via DisplayPort output : |                                                         | MST mode: ---                                                        |                                               | MST mode HDCP contents: ---              |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| (Support monitor is same model)                             |                                                         | SST mode: ---                                                        |                                               | SST mode HDCP contents: ---              |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Color Control                                               |                                                         | Yes                                                                  |                                               | Selectable color: 3000K-15000K           |                              | Native                                                  |                                                                                       |                                                           |                              |                                                             |                                  |  |
| OSD Languages                                               |                                                         | English                                                              |                                               | German                                   |                              | French                                                  |                                                                                       | Spanish                                                   |                              | Italian                                                     |                                  |  |
| Plug and Play                                               |                                                         | Yes                                                                  |                                               | VESA DDC2B                               |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| DOCCI                                                       |                                                         | Yes                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| USB                                                         |                                                         | Yes(integrated)                                                      |                                               | Integrated(Optional)                     |                              | USB ver                                                 |                                                                                       | 3.1 Gen1 x 2                                              |                              | Up stream                                                   |                                  |  |
| USB Down stream Power supply                                |                                                         | Yes                                                                  |                                               | 5.0 V                                    |                              | 900 mA                                                  |                                                                                       | 3.1 Gen1 x 3                                              |                              | Down stream                                                 |                                  |  |
| Control/Sync                                                |                                                         | No                                                                   |                                               | Input                                    |                              | No                                                      |                                                                                       | Control/Sync input (Gray color: φ2.5mm stereo micro jack) |                              | Control/Sync output (Black color: φ2.5mm stereo micro jack) |                                  |  |
| RS-232C                                                     |                                                         | No                                                                   |                                               | Additional SNMP Protocol(RJ-45)          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| LAN Control                                                 |                                                         | No                                                                   |                                               | (integrated/Option)                      |                              | Integrated (1W+1W)                                      |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Speaker                                                     |                                                         | Yes(integrated)                                                      |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Mic                                                         |                                                         | No                                                                   |                                               | (integrated/Option)                      |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Headphone Out                                               |                                                         | Yes                                                                  |                                               | Connector type: φ 3.5mm stereo mini jack |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Luminance Sensor                                            |                                                         | Yes                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Human Sensor                                                |                                                         | No                                                                   |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Additional Features                                         |                                                         | Yes                                                                  |                                               | Tilt (5 - 30 deg)                        |                              | Yes                                                     |                                                                                       | Swivel (340 deg)                                          |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | VESA Mount (4xM4 100mm pitch)            |                              | No                                                      |                                                                                       | Vacation switch                                           |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | sRGB                                     |                              | Yes                                                     |                                                                                       | Sharpness/Softness                                        |                              | Yes(1.4bit)                                                 |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | Sensor (illumination)                    |                              | Yes                                                     |                                                                                       | Off Timer (Count down)                                    |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | NTAA (Advanced/Yes/No)                   |                              | No                                                      |                                                                                       | SOG CABLE DELAY Compensation                              |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | Cable management                         |                              | Yes                                                     |                                                                                       | Eco-mode                                                  |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | No                                                                   |                                               | Sync Continuity Detection                |                              | No                                                      |                                                                                       | Diagnostic (heat/lamp failure)                            |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | RESPONSE IMPROVE(OverDrive)              |                              | Yes                                                     |                                                                                       | Picture Mode                                              |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | Sensor Calibration (Brightness)          |                              | Yes                                                     |                                                                                       | 3D-LUT                                                    |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | ProP-PhyP                                |                              | Yes                                                     |                                                                                       | Tile matrix                                               |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | DICOM                                    |                              | Yes                                                     |                                                                                       | Uniformity correction                                     |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | Adobe RGB                                |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Shipment setting                                            |                                                         | Brightness:                                                          |                                               | 270 cd/m <sup>2</sup>                    |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| ECO mode                                                    |                                                         | OFF                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| DV mode                                                     |                                                         | ND                                                                   |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Uniformity correction                                       |                                                         | 1                                                                    |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Auto brightness by luminance sensor                         |                                                         | OFF                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Gamma                                                       |                                                         | 2.2                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Response Improve                                            |                                                         | OFF                                                                  |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| EDID/OSD                                                    |                                                         | ---                                                                  |                                               | (Landscape/Portrait)                     |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Dimensions                                                  |                                                         | Net (Landscape) (with stand)                                         |                                               | 556.2 mm (W) x                           |                              | 379.1 mm (H) (Low) x                                    |                                                                                       | 233.0 mm (D)                                              |                              | ( 21.9 in. (W) x                                            |                                  |  |
| Net (Portrait mode) (with stand)                            |                                                         | 361.8 mm (W) x                                                       |                                               | 529.1 mm (H) (High) x                    |                              | 233.0 mm (D)                                            |                                                                                       | ( 14.2 in. (W) x                                          |                              | 20.8 in. (H) (High) x                                       |                                  |  |
| Net (Landscape) (without stand)                             |                                                         | 556.2 mm (W) x                                                       |                                               | 361.8 mm (H) x                           |                              | 58.6 mm (D)                                             |                                                                                       | ( 21.9 in. (W) x                                          |                              | 14.2 in. (H) x                                              |                                  |  |
| Net (Portrait mode) (without stand)                         |                                                         | 361.8 mm (W) x                                                       |                                               | 556.2 mm (H) x                           |                              | 58.6 mm (D)                                             |                                                                                       | ( 14.2 in. (W) x                                          |                              | 21.9 in. (H) x                                              |                                  |  |
| Gross (with carton box)                                     |                                                         | 654.0 mm (W) x                                                       |                                               | 512.0 mm (H) x                           |                              | 316.0 mm (D)                                            |                                                                                       | ( 25.7 in. (W) x                                          |                              | 20.2 in. (H) x                                              |                                  |  |
| Bezel width                                                 |                                                         | Top: 17.9 mm                                                         |                                               | Left: 17.9 mm                            |                              | Right: 17.9 mm                                          |                                                                                       | Bottom: 17.9 mm                                           |                              |                                                             |                                  |  |
| Container loading Q'ty                                      |                                                         | 504 units/40ft                                                       |                                               | 240 units/20ft                           |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Height Adjustment range                                     |                                                         | Landscape                                                            |                                               | 150 mm                                   |                              | Portrait                                                |                                                                                       | 58 mm                                                     |                              | ---                                                         |                                  |  |
| Swivel                                                      |                                                         | Yes                                                                  |                                               | Left 170 deg                             |                              | Right 170 deg                                           |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Tilt                                                        |                                                         | Yes                                                                  |                                               | Up 30 deg                                |                              | Down 5 deg                                              |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Pivot                                                       |                                                         | Yes                                                                  |                                               | Clockwise 90 deg                         |                              | Counterclockwise NA deg                                 |                                                                                       |                                                           |                              |                                                             |                                  |  |
| VESA Mount                                                  |                                                         | Yes                                                                  |                                               | 100x100 (Size)                           |                              | 4 (Hole number)                                         |                                                                                       | M4 Screw type                                             |                              | 12 Screw length (mm)                                        |                                  |  |
| Weight                                                      |                                                         | Net (with stand)                                                     |                                               | 8.0 kg (with Stand)                      |                              | 17.6 lbs.                                               |                                                                                       | Net (without stand)                                       |                              | 5.2 kg                                                      |                                  |  |
| Gross (with stand)                                          |                                                         | 11.3 kg (with Stand)                                                 |                                               | 24.9 lbs.                                |                              |                                                         |                                                                                       | Gross (without stand)                                     |                              | ---                                                         |                                  |  |
| Design Type                                                 |                                                         | Monitor                                                              |                                               | Stockholm Lake (LosAngeles/mmsbruck/etc) |                              | Materials: PC/ABS SVB                                   |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Carton Box design                                           |                                                         | NEC-NA                                                               |                                               | NEC-EU                                   |                              | NEC-JPN                                                 |                                                                                       | NEC-CHN                                                   |                              |                                                             |                                  |  |
| Single color                                                |                                                         | NEC-AP                                                               |                                               | NEC-WW                                   |                              | Single color                                            |                                                                                       | Single color                                              |                              |                                                             |                                  |  |
| Carton Box Material                                         |                                                         |                                                                      |                                               | Weight: g                                |                              | 0.0 lbs.                                                |                                                                                       |                                                           |                              |                                                             |                                  |  |
| European Recycling                                          |                                                         | Category:                                                            |                                               | G2                                       |                              | G2                                                      |                                                                                       | G2                                                        |                              | G2                                                          |                                  |  |
| Description:                                                |                                                         | Carton Box                                                           |                                               | Carton Inlays                            |                              | Carton Others                                           |                                                                                       | Carton Others                                             |                              | Carton Total                                                |                                  |  |
| Weight:                                                     |                                                         | 1500                                                                 |                                               | -                                        |                              | -                                                       |                                                                                       | -                                                         |                              | 1500                                                        |                                  |  |
| Material:                                                   |                                                         | paper                                                                |                                               | PS                                       |                              | PE                                                      |                                                                                       | PE                                                        |                              | PE                                                          |                                  |  |
| Power consumption                                           |                                                         | Power Supply                                                         |                                               | Built in                                 |                              | (Built in/external)                                     |                                                                                       | Connection type (EC/Mickeymouse/Captive)                  |                              | 1.3 A for Mexico                                            |                                  |  |
| Current Rating:                                             |                                                         | 0.95 A                                                               |                                               | to 9.48 A                                |                              | @ 100V - 240V                                           |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Power consumption                                           |                                                         | 58.00 W (On mode max.)                                               |                                               | with USB / with AUDIO                    |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| ---                                                         |                                                         | ---                                                                  |                                               | W without USB / without AUDIO            |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| 27.00 W (Shipout default setting) (ECO mode off)            |                                                         |                                                                      |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| 35.00 W (ECO mode "OFF") without USB / without AUDIO        |                                                         |                                                                      |                                               |                                          |                              | Less than 0.3W W (Power saving mode (100-120/220-240V)) |                                                                                       | Less than 0.3W W (p-off typ.100-120/220-240V)             |                              | ---                                                         |                                  |  |
| ---                                                         |                                                         | W (ECO mode "ON") without USB / without AUDIO                        |                                               |                                          |                              | cd/m <sup>2</sup> (Brightness at ECO mode ON)           |                                                                                       | ---                                                       |                              | % to 0% (Brightness range at ECO mode ON)                   |                                  |  |
| ---                                                         |                                                         | W (ECO mode "2") without USB / without AUDIO                         |                                               |                                          |                              | cd/m <sup>2</sup> (Brightness at ECO mode 2)            |                                                                                       | ---                                                       |                              | % to 0% (Brightness range at ECO mode 2)                    |                                  |  |
| ---                                                         |                                                         | W (Auto Brightness "1" maximum effect, without USB / without AUDIO ) |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| ---                                                         |                                                         | W (Auto Brightness "2" maximum effect, without USB / without AUDIO ) |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| ---                                                         |                                                         | W (Auto Brightness "3" maximum effect, without USB / without AUDIO ) |                                               |                                          |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Crest Factor                                                |                                                         | ---                                                                  |                                               | @ 120V                                   |                              | @ 230V                                                  |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Power Management                                            |                                                         | ---                                                                  |                                               | VESA DPMS                                |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| EEI (Energy Efficiency Index)                               |                                                         | B                                                                    |                                               | Energy efficiency class                  |                              | 35 W (on-mode power consumption)                        |                                                                                       | 51 kWh/annum (annual on-mode power consumption)           |                              | ---                                                         |                                  |  |
| CEL                                                         |                                                         | 2                                                                    |                                               | Grade                                    |                              |                                                         |                                                                                       |                                                           |                              | Reference period                                            |                                  |  |
| Oper. Temp                                                  |                                                         | 5 degree C to                                                        |                                               | 35 degree C /                            |                              | 41 F to                                                 |                                                                                       | 95 F                                                      |                              |                                                             |                                  |  |
| Oper. Humidity:                                             |                                                         | 20 % to                                                              |                                               | 80 %                                     |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Oper. Altitude:                                             |                                                         | 5,000 m /                                                            |                                               | 16,404 Feet                              |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Storage Temp                                                |                                                         | -20 degree C to                                                      |                                               | 60 degree C /                            |                              | -4 F to                                                 |                                                                                       | 140 F                                                     |                              |                                                             |                                  |  |
| Storage Humidity                                            |                                                         | 10 % to                                                              |                                               | 85 %                                     |                              | (without condensation) / below 60% over 40 °C           |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Storage Altitude                                            |                                                         | 12,192 m /                                                           |                                               | 40,000 Feet                              |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |
| Regulatories & Compliance                                   |                                                         | Yes                                                                  |                                               | JUL / C-UL (BS / Canada)                 |                              | Yes                                                     |                                                                                       | J-STUV or S-JQA (Japan)                                   |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | TUV-GS (Germany)                         |                              | Yes                                                     |                                                                                       | PSE (Japan)                                               |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | FCC / CANADIAN DOC                       |                              | Yes                                                     |                                                                                       | FCC (US)                                                  |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | CB Report                                |                              | No                                                      |                                                                                       | TV broadcast receiver / BETS7 (Canada)                    |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | PSB (Singapore)                          |                              | Yes                                                     |                                                                                       | RCM (Australia/New Zealand)                               |                              | Yes                                                         |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | NOM (Mexico)                             |                              | No                                                      |                                                                                       | VCCI (Japan)                                              |                              | No                                                          |                                  |  |
| No                                                          |                                                         | No                                                                   |                                               | IRMA or TUV Argentina S                  |                              | No                                                      |                                                                                       | MPSR I / MPSR II (Sweden)                                 |                              | No                                                          |                                  |  |
| No                                                          |                                                         | No                                                                   |                                               | India BIS                                |                              | Yes                                                     |                                                                                       | JIS C4006-3-2 (Japan)                                     |                              | No                                                          |                                  |  |
| Yes                                                         |                                                         | Yes                                                                  |                                               | SASO                                     |                              |                                                         |                                                                                       |                                                           |                              |                                                             |                                  |  |

|                                                                |                     |           |                            |                                                 |                   |                                                |                                          |     |                        |     |                   |                                |  |    |                      |  |  |
|----------------------------------------------------------------|---------------------|-----------|----------------------------|-------------------------------------------------|-------------------|------------------------------------------------|------------------------------------------|-----|------------------------|-----|-------------------|--------------------------------|--|----|----------------------|--|--|
| MTBF/MTTF                                                      | MTBF LCD:           | 50,680    | (excluding backlight)      |                                                 | Method:           | ---                                            | (demonstration / MIL-217E / 217F / etc.) |     |                        |     |                   |                                |  |    |                      |  |  |
|                                                                | MTTF Backlight:     | 30,000    | (min)                      |                                                 | Method:           | more than 50% original brightness              | (demonstration / MIL-217E / 217F / etc.) |     |                        |     |                   |                                |  |    |                      |  |  |
|                                                                | MTBF monitor:       | 75,752    | (excluding LCD module)     |                                                 | Method:           | MIL-217E                                       | (demonstration / MIL-217E / 217F / etc.) |     |                        |     |                   |                                |  |    |                      |  |  |
|                                                                | MTBF total monitor: | ---       | (including all components) |                                                 | Method:           | ---                                            | (demonstration / MIL-217E / 217F / etc.) |     |                        |     |                   |                                |  |    |                      |  |  |
| Packaging / Manual                                             |                     | NEC-NA-Wh | NEC-NA-Bk                  | NEC-EU-Wh                                       | NEC-EU-Bk         | NEC-JP-Bk                                      | NEC-CH-Bk                                |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (US type; Length; Bk or Gr)                         |                     | Yes(1.8m) | Yes(1.8m)                  | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (CE type; Length; Bk or Gr)                         |                     | No        | No                         | Yes(1.8m)                                       | Yes(1.8m)         | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (UK type; Length; Bk or Gr)                         |                     | No        | No                         | Yes(1.8m)                                       | Yes(1.8m)         | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (JP type; Length; Bk or Gr)                         |                     | No        | No                         | No                                              | No                | Yes(1.8m)                                      | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (Ch type; Length; Bk or Gr)                         |                     | No        | No                         | No                                              | No                | No                                             | Yes(1.8m)                                |     |                        |     |                   |                                |  |    |                      |  |  |
| Power cord (Au type; Length; Bk or Gr)                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| VGA - VGA cable (Length; Bk or Gr)                             |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| VGA - DVI-A cable (Length; Bk or Gr)                           |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| DVI-D - DVI-D cable (Length; Bk or Gr)                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| DisplayPort to DisplayPort cable (Length; Bk or Gr)            |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| DisplayPort mini to DisplayPort cable (Length; Bk or Gr)       |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| HDMI to HDMI cable (Length; Bk or Gr)                          |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| HDMI to HDMI cable (Length; Bk or Gr)                          |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Mini Pin Jack cable (Length; Bk or Gr)                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| USB3.1 Gen1 cable (Length; Bk or Gr)                           |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| Audio cable(φ3.5mm stereo mini plug) (Length; Bk or Gr)        |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| ControlSync cable(φ2.5mm stereo micro plug) (Length; Bk or Gr) |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| CD-ROM (include Manual Full PDF)                               |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| SET-UP SHEET (NEC)                                             |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Setup Manual (All ver)                                         |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| Setup Manual (All ver)                                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Setup Manual (J ver)                                           |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Contents sheet (All ver)                                       |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| Contents sheet (A ver)                                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Contents sheet (B ver)                                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Warranty Card (China)                                          |                     | No        | No                         | No                                              | No                | No                                             | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| Warranty Card (Japan)                                          |                     | No        | No                         | No                                              | No                | Yes                                            | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| NaViSet flyer                                                  |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| NaViSet Administrator 2 flyer                                  |                     | Yes       | Yes                        | Yes                                             | Yes               | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Visual controller                                              |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Ukraine RoHS sheet                                             |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Caution sheet (ProVSD)                                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Flyer LOGO COVER                                               |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Caution sheet (Panel for X series)                             |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Caution sheet (Panel)                                          |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Caution sheet (AUTO STANDBY)                                   |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Test Report                                                    |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| CAUTION SHEET for KT-RC2                                       |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual Full (W ver)                                      |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual Full (A ver)                                      |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual Full (B ver)                                      |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual Full (JAPANESE)                                   |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual 1sheet type (Taiwan, Korea) (W ver)               |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Paper Manual Full (RU, BY, KZ) (W ver)                         |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| LOGO COVER Label                                               |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| Clamper and Screw                                              |                     | Yes       | Yes                        | Yes                                             | Yes               | Yes                                            | Yes                                      |     |                        |     |                   |                                |  |    |                      |  |  |
| Sales office list                                              |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| FLYER PREMIUM PROTECT (A ver)                                  |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| WEEE sheet                                                     |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| EEI label and EEI sheet                                        |                     | No        | No                         | Yes                                             | Yes               | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| CEL sheet                                                      |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| PC Recycle Flyer                                               |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| PC Recycle Postcard                                            |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| SHEET SV2 Us                                                   |                     | Yes       | Yes                        | Yes                                             | Yes               | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| SHEET Multi profiler                                           |                     | Yes       | Yes                        | Yes                                             | Yes               | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| AC Adapter (Bk or Gr)                                          |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| DC cable for AC Adapter (Bk or Gr)                             |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| VESA plate                                                     |                     | No        | No                         | No                                              | No                | No                                             | No                                       |     |                        |     |                   |                                |  |    |                      |  |  |
| BTO (Built To Order) Optional product                          |                     | No        | Sound Bar                  |                                                 | ---               | External Calibration Sensor                    |                                          | No  | Recommended VideoBoard |     | No                | iCCMD QA Client/Server Ver.5.x |  | No | VIDEO UNIT(External) |  |  |
|                                                                |                     | Yes       | Hood                       |                                                 | No                | Front Sensor                                   |                                          |     |                        |     |                   |                                |  |    |                      |  |  |
| Limited Warranty                                               |                     | 4 years   | years (A-version)          | 5 years<br>(or 30,000 hours<br>including panel) | years (B-version) | 5年間<br>・使用時間は30,000 時間以内<br>・パネルおよびバックライトは3年保証 | years (J-version)                        | --- | years (C-version)      | --- | years (W-version) |                                |  |    |                      |  |  |

## REVISION HISTORY

| Ver | Date               | Description | Designed | Checked | Approved |
|-----|--------------------|-------------|----------|---------|----------|
| 1.0 | September 20, 2017 | 1st issue   | -        | -       | -        |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |
|     |                    |             |          |         |          |